Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	Mass and analyzeror analysis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 09:56
L2	993594	Mass and analyzer or analysis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 09:56
L3	52831	2 and (anofde near4 liner or hollow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 09:57
L4	52840	2 and (anode near4 liner or hollow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 09:57
L5	1821	4 and (replaceable or releasable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 09:59
L6	1754	5 and (electron adj beam near4 inside or within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:00
L7	8	5 and (electron adj beam near4 inside or within adj anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:04
L8	8	5 and (electron adj beam near4 interior or within adj anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:04

10/849,765

L9	8	6 and (electron adj beam near4 interior or within adj anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:05
L10	1821	5 and (anode near4 interior or inside or hollow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:06
L11	0	10 and (anode near4 liner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:06
L12	20	5 and (anode near4 hollow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:08
L13	385	4 and (anode near4 hollow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:08
L14	1	13 and (electron near4 cleaning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:54
L15	0	13 and (replaceable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:18
L16	1	13 and (replacable or releasable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:30

L17	2	13 and (detachable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:30
L18	0	10 and (detachable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:31
L19	0	5 and (detachable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:31
L20	1	5 and (releasable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:31
L21	1	4 and (releasable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:32
L22	52267	2 and (replaceable or releasable near4 anode or cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:55
L23	9652	2 and (replaceable or releasable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:55
L24	0	23 and (anode near4 liner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:56

L25	0	23 and (electron near4 cleaning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 10:57
L26	20	23 and (anode near4 hollow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 11:16
L27	2316	((250/427,423R,) or (315/111.91, 111.81,111.21,) or (60/202,)).CCLS.	USPAT	OR	OFF	2005/05/04 11:18
L28	8	27 and (releasable or replaceable near4 anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 11:48
L29	10	ellefson-robert-e.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 11:49
L30	10	frees-louis-c.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/04 11:50